


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:


1. (canceled)
2. (original) A compound of the formula (II):



wherein:

R_1 is selected from the group consisting of:

$-X'-C(O)-N(R_1')(R_1'')$ and



X' is selected from the group consisting of $-CH(R_9)-$, $-CH(R_9)\text{-alkylene-}$, and $-CH(R_9)\text{-alkenylene-}$;

X'' is selected from the group consisting of $-CH(R_9)-$, $-CH(R_9)\text{-alkylene-}$, and $-CH(R_9)\text{-alkenylene-}$; wherein the alkylene and alkenylene are optionally interrupted with one or more $-O-$ groups;

R_1' and R_1'' are independently selected from the group consisting of:

hydrogen,
alkyl,
alkenyl,
aryl,
arylalkenyl,

heteroaryl,
heteroarylalkylenyl,
heterocyclyl,
heterocyclylalkylenyl, and
alkyl, alkenyl, aryl, arylalkylenyl, heteroaryl, heteroarylalkylenyl, heterocyclyl, or
heterocyclylalkylenyl, substituted by one or more substituents selected from the group
consisting of:

hydroxy,
alkyl,
haloalkyl,
hydroxyalkyl,
alkoxy,
haloalkoxy,
halogen,
cyano,
nitro,
amino,
alkylamino,
dialkylamino,
arylsulfonyl, and
alkylsulfonyl;

A' is selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and
-N(Q-R₄)-;

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7;

R_A and R_B are independently selected from the group consisting of:

hydrogen,
halogen,
alkyl,
alkenyl,
alkoxy,
alkylthio, and

$-N(R_9)_2$;

or R_A and R_B taken together form either a fused aryl ring that is unsubstituted or substituted by one or more R_a groups, or a fused 5 to 7 membered saturated ring that is unsubstituted or substituted by one or more R_c groups;

or R_A and R_B taken together form a fused heteroaryl or 5 to 7 membered saturated ring containing one heteroatom selected from the group consisting of N and S, wherein the heteroaryl ring is unsubstituted or substituted by one or more R_b groups, and the 5 to 7 membered saturated ring is unsubstituted or substituted by one or more R_c groups;

R_a is selected from the group consisting of:

halogen,
alkyl,
haloalkyl,
alkoxy, and
 $-N(R_9)_2$;

R_b is selected from the group consisting of:

halogen,
hydroxy,
alkyl,
haloalkyl,
alkoxy, and
 $-N(R_9)_2$;

R_c is selected from the group consisting of:

halogen,
hydroxy,
alkyl,
alkenyl,
haloalkyl,
alkoxy,
alkylthio, and
 $-N(R_9)_2$;



R_2 is selected from the group consisting of:


- R₄,
- X-R₄,
- X-Y-R₄, and
- X-R₅;

X is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups are optionally interrupted or terminated by arylene, heteroarylene or heterocyclylene and optionally interrupted by one or more -O- groups;

Y is selected from the group consisting of:


- S(O)₀₋₂-,
- S(O)₂-N(R₈)-,
- C(R₆)-,
- C(R₆)-O-,
- O-C(R₆)-,
- O-C(O)-O-,
- N(R₈)-Q-,
- C(R₆)-N(R₈)-,
- O-C(R₆)-N(R₈)-,
- C(R₆)-N(OR₆)-,





R_4 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkenyl, aryloxyalkenyl, alkylarylenyl, heteroaryl, heteroarylalkenyl, heteroaryloxyalkenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkenyl, aryloxyalkenyl, alkylarylenyl, heteroaryl, heteroarylalkenyl, heteroaryloxyalkenyl, alkylheteroarylenyl, and heterocyclyl groups are unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

R_5 is selected from the group consisting of:



R_6 is selected from the group consisting of =O and =S;

R_7 is C_{2-7} alkylene;

R_8 is selected from the group consisting of hydrogen, alkyl, alkoxyalkenyl, and arylalkenyl;

R_9 is selected from the group consisting of hydrogen and alkyl;

R_{10} is C_{3-8} alkylene;

A is selected from the group consisting of -O-, -C(O)-, -S(O)_{0.2}-, -CH₂-, and -N(R₄)-;


Q is selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-C(R₆)-, -S(O)₂-, -C(R₆)-N(R₈)-W-, -S(O)₂-N(R₈)-, -C(R₆)-O-, and -C(R₆)-N(OR₉)-;

V is selected from the group consisting of -C(R₆)-, -O-C(R₆)-, -N(R₈)-C(R₆)-, and -S(O)₂-; and

W is selected from the group consisting of a bond, -C(O)-, and -S(O)₂-;

with the proviso that when R_A and R_B form a fused heteroaryl or 5 to 7 membered saturated ring containing one heteroatom selected from the group consisting of N and S, wherein the heteroaryl ring is unsubstituted or substituted by one or more R_b groups, and the 5 to 7 membered saturated ring is unsubstituted or substituted by one or more R_c groups, then R_1 can also be $-X''-C(O)-N(R_1')(R_1'')$; or a pharmaceutically acceptable salt thereof.

3. (currently amended) A. The compound or salt of claim 2 wherein the compound is of the following formula (III):




III

wherein:

R_{1-1} is selected from the group consisting of:

$-X'-C(O)-N(R_1')(R_1'')$ and



X' is selected from the group consisting of $-\text{CH}(R_9)-$, $-\text{CH}(R_9)\text{-alkylene-}$, and $-\text{CH}(R_9)\text{-alkenylene-}$;

X'' is selected from the group consisting of $-\text{CH}(R_9)-$, $-\text{CH}(R_9)\text{-alkylene-}$, and $-\text{CH}(R_9)\text{-alkenylene-}$; wherein the alkylene and alkenylene are optionally interrupted with one or more $-\text{O}-$ groups;

R_1' and R_1'' are independently selected from the group consisting of:

hydrogen,
alkyl,
alkenyl,
aryl,
arylalkenyl,

heteroaryl,
heteroarylalkylenyl,
heterocyclyl,
heterocyclylalkylenyl, and
alkyl, alkenyl, aryl, arylalkylenyl, heteroaryl, heteroarylalkylenyl, heterocyclyl, or
heterocyclylalkylenyl, substituted by one or more substituents selected from the group
consisting of:

hydroxy,
alkyl,
haloalkyl,
hydroxyalkyl,
alkoxy,
haloalkoxy,
halogen,
cyano,
nitro,
amino,
alkylamino,
dialkylamino,
arylsulfonyl, and
alkylsulfonyl;

A' is selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and
-N(Q-R₄)-;

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7;

R_{A1} and R_{B1} are independently selected from the group consisting of:

hydrogen,
halogen,
alkyl,
alkenyl,
alkoxy,
alkylthio, and










R_2 is selected from the group consisting of:




X is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups are optionally interrupted or terminated by arylene, heteroarylene or heterocyclylene and optionally interrupted by one or more $-O-$ groups;

Y is selected from the group consisting of:




, and



R_4 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkenyl, aryloxyalkenyl, alkylarylenyl, heteroaryl, heteroarylalkenyl, heteroaryloxyalkenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkenyl, aryloxyalkenyl, alkylarylenyl, heteroaryl, heteroarylalkenyl, heteroaryloxyalkenyl, alkylheteroarylenyl, and heterocyclyl groups are unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

R_5 is selected from the group consisting of:



R_6 is selected from the group consisting of =O and =S;

R_7 is C_{2-7} alkylene;

R_8 is selected from the group consisting of hydrogen, alkyl, alkoxyalkenyl, and arylalkenyl;

R_9 is selected from the group consisting of hydrogen and alkyl;

R_{10} is C_{3-8} alkylene;


A is selected from the group consisting of -O-, -C(O)-, -S(O)_{0.2-}, -CH₂-, and -N(R₄)-;

Q is selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-C(R₆)-, -S(O)₂-, -C(R₆)-N(R₈)-W-, -S(O)₂-N(R₈)-, -C(R₆)-O-, and -C(R₆)-N(OR₉)-;

V is selected from the group consisting of -C(R₆)-, -O-C(R₆)-, -N(R₈)-C(R₆)-, and -S(O)₂-; and

W is selected from the group consisting of a bond, -C(O)-, and -S(O)₂-; or a pharmaceutically acceptable salt thereof.

4. (original) A compound of the formula (IV):




IV

wherein:

R_{1-1} is selected from the group consisting of:

$-X'-C(O)-N(R_1')(R_1'')$ and



X' is selected from the group consisting of $-CH(R_9)-$, $-CH(R_9)$ -alkylene-, and $-CH(R_9)$ -alkenylene-;

X'' is selected from the group consisting of $-CH(R_9)-$, $-CH(R_9)$ -alkylene-, and $-CH(R_9)$ -alkenylene-; wherein the alkylene and alkenylene are optionally interrupted with one or more $-O-$ groups;

R_1' and R_1'' are independently selected from the group consisting of:

hydrogen,
alkyl,
alkenyl,
aryl,
aryllalkylenyl,
heteroaryl,
heteroarylalkylenyl,
heterocyclyl,
heterocyclylalkylenyl, and

alkyl, alkenyl, aryl, arylalkenyl, heteroaryl, heteroarylalkenyl, heterocyclyl, or heterocyclylalkenyl, substituted by one or more substituents selected from the group consisting of:

hydroxy,
alkyl,
haloalkyl,
hydroxyalkyl,
alkoxy,
haloalkoxy,
halogen,
cyano,
nitro,
amino,
alkylamino,
dialkylamino,
arylsulfonyl, and
alkylsulfonyl;

A' is selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and -N(Q-R₄)-;

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7;

R_a is selected from the group consisting of:

halogen,
alkyl,
haloalkyl,
alkoxy, and
-N(R₉)₂;

n is an integer from 0 to 4;

R₂ is selected from the group consisting of:

-R₄,
-X-R₄,
-X-Y-R₄, and

$-X-R_5$;

X is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups are optionally interrupted or terminated by arylene, heteroarylene or heterocyclylene and optionally interrupted by one or more -O- groups;

Y is selected from the group consisting of:

$-S(O)_{0-2}$,

$-S(O)_2-N(R_8)-$,

$-C(R_6)-$,

$-C(R_6)-O-$,

$-O-C(R_6)-$,



$-O-C(O)-O-$,

$-N(R_8)-Q-$,


$-C(R_6)-N(R_8)-$,

$-O-C(R_6)-N(R_8)-$,

$-C(R_6)-N(OR_9)-$,



, and




;

R_4 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl,

heteroarylalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl heteroarylalkylenyl, heteroarylalkylenyl, alkylheteroarylenyl, and heterocyclyl groups are unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

R_4 is selected from the group consisting of:



R_6 is selected from the group consisting of =O and =S;

R_7 is C_{2-7} alkylene;

R_8 is selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and arylalkylenyl;

R_9 is selected from the group consisting of hydrogen and alkyl;

R_{10} is C_{3-8} alkylene;


A is selected from the group consisting of -O-, -C(O)-, -S(O)₀₋₂-, -CH₂-, and -N(R₄)-;

Q is selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-C(R₆)-, -S(O)₂-, -C(R₆)-N(R₈)-W-, -S(O)₂-N(R₈)-, -C(R₆)-O-, and -C(R₆)-N(OR₉)-;

V is selected from the group consisting of -C(R₆)-, -O-C(R₆)-, -N(R₈)-C(R₆)-, and -S(O)₂-; and

W is selected from the group consisting of a bond, -C(O)-, and -S(O)₂-;
or a pharmaceutically acceptable salt thereof.

5. (currently amended) A. The compound or salt of claim 2 wherein the compound is of the following formula (V):




V

wherein:

R_{1-1} is selected from the group consisting of:

$-X'-C(O)-N(R_1')(R_1'')$ and



X' is selected from the group consisting of $-CH(R_9)-$, $-CH(R_9)$ -alkylene-, and $-CH(R_9)$ -alkenylene-;

X'' is selected from the group consisting of $-CH(R_9)-$, $-CH(R_9)$ -alkylene-, and $-CH(R_9)$ -alkenylene-; wherein the alkylene and alkenylene are optionally interrupted with one or more $-O-$ groups;

R_1' and R_1'' are independently selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

arylalkenyl,

heteroaryl,

heteroarylalkenyl,

heterocyclyl,

heterocyclylalkenyl, and

alkyl, alkenyl, aryl, arylalkenyl, heteroaryl, heteroarylalkenyl, heterocyclyl, or heterocyclylalkenyl, substituted by one or more substituents selected from the group consisting of:

hydroxy,

alkyl,
haloalkyl,
hydroxyalkyl,
alkoxy,
haloalkoxy,
halogen,
cyano,
nitro,
amino,
alkylamino,
dialkylamino,
arylsulfonyl, and
alkylsulfonyl;

A' is selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)_{0.2}-, and
-N(Q-R₄)-;

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7;

R_e is selected from the group consisting of:

halogen,
hydroxy,
alkyl,
alkenyl,
haloalkyl,
alkoxy,
alkylthio, and
-N(R₉)₂;









n is an integer from 0 to 4;

R₂ is selected from the group consisting of:

-R₄,
-X-R₄,
-X-Y-R₄, and
-X-R₅;

X is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups are optionally interrupted or terminated by arylene, heteroarylene or heterocyclylene and optionally interrupted by one or more -O- groups;


Y is selected from the group consisting of:



R_4 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkenyl, aryloxyalkenyl, alkylarylenyl, heteroaryl, heteroarylalkenyl, heteroaryloxyalkenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl,

aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups are unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

R_3 is selected from the group consisting of:



R_6 is selected from the group consisting of =O and =S;

R_7 is C_{2-7} alkylene;

R_8 is selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and arylalkylenyl;

R_9 is selected from the group consisting of hydrogen and alkyl;

R_{10} is C_{3-8} alkylene;


A is selected from the group consisting of -O-, -C(O)-, -S(O)_{0.2-2}-, -CH₂-, and -N(R₄)-

Q is selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-C(R₆)-, -S(O)₂-, -C(R₆)-N(R₈)-W-, -S(O)₂-N(R₈)-, -C(R₆)-O-, and -C(R₆)-N(OR₉)-

V is selected from the group consisting of -C(R₆)-, -O-C(R₆)-, -N(R₈)-C(R₆)-, and -S(O)₂-; and

W is selected from the group consisting of a bond, -C(O)-, and -S(O)₂-;
or a pharmaceutically acceptable salt thereof.


6. (original) A compound selected from the group consisting of the formulas (VI, VII, VIII, and IX):



wherein:

R_{1-2} is selected from the group consisting of:

$-X''-C(O)-N(R_1')(R_{1''})$ and



X'' is selected from the group consisting of $-\text{CH}(R_9)-$, $-\text{CH}(R_9)\text{-alkylene-}$, and $-\text{CH}(R_9)\text{-alkenylene-}$; wherein the alkylene and alkenylene are optionally interrupted with one or more $-\text{O}-$ groups;

R_1' and $R_{1''}$ are independently selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

arylalkenyl,

heteroaryl,

heteroarylalkenyl,

heterocyclyl,

heterocyclylalkenyl, and

alkyl, alkenyl, aryl, arylalkenyl, heteroaryl, heteroarylalkenyl, heterocyclyl, or heterocyclylalkenyl, substituted by one or more substituents selected from the group consisting of:

hydroxy,

alkyl,

haloalkyl,

hydroxyalkyl,
alkoxy,
haloalkoxy,
halogen,
cyano,
nitro,
amino,
alkylamino,
dialkylamino,
arylsulfonyl, and
alkylsulfonyl;

A' is selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and -N(Q-R₄)-;

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7;

R_b is selected from the group consisting of:

halogen,
hydroxy,
alkyl,
haloalkyl,
alkoxy, and
-N(R₉)₂;









m is an integer from 0 to 3;

R₂ is selected from the group consisting of:


-R₄,
-X-R₄,
-X-Y-R₄, and
-X-R₅;

X is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups are optionally interrupted or terminated by arylene, heteroarylene or heterocyclylene and optionally interrupted by one or more -O- groups;

Y is selected from the group consisting of:




, and



R_4 is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups are unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano,

aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

R_5 is selected from the group consisting of:



R_6 is selected from the group consisting of =O and =S;

R_7 is C_{2-7} alkylene;

R_8 is selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and arylalkylenyl;

R_9 is selected from the group consisting of hydrogen and alkyl;

R_{10} is C_{3-8} alkylene;

A is selected from the group consisting of -O-, -C(O)-, -S(O)₀₋₂-, -CH₂-, and -N(R_4)-;

Q is selected from the group consisting of a bond, -C(R_6)-, -C(R_6)-C(R_6)-, -S(O)₂-, -C(R_6)-N(R_8)-W-, -S(O)₂-N(R_8)-, -C(R_6)-O-, and -C(R_6)-N(OR₉)-;


V is selected from the group consisting of -C(R_6)-, -O-C(R_6)-, -N(R_8)-C(R_6)-, and -S(O)₂-; and

W is selected from the group consisting of a bond, -C(O)-, and -S(O)₂-;
or a pharmaceutically acceptable salt thereof.

7. (canceled)

8. (original) The compound or salt of claim 3 wherein R_{A1} and R_{B1} are methyl.

9. (original) The compound or salt of claim 6 wherein the compound is of the following formula (VI):




VI,

or a pharmaceutically acceptable salt thereof.


10. (currently amended) The compound or salt of ~~claim 6 or claim 9~~ wherein m is 0.

11. (currently amended) The compound or salt of ~~any one of claims 6, 9, or 10~~ wherein R₁₋₂ is



12. (currently amended) The compound or salt of ~~claim 4 or claim 5~~ wherein n is 0.

13. (currently amended) The compound or salt of ~~any one of claims 3, 4, 5, 8, and 12~~ wherein R₁₋₁ is



14. (currently amended) The compound or salt of ~~any one of claims 21 through 5, 7, 8, and 42~~ wherein X' is -CH₂-C₀₋₁₀ alkylene- or X'' is -CH₂-C₀₋₁₀ alkylene- or -CH₂-C₁₋₄ alkylene-O-C₁₋₄ alkylene-.

15. (canceled)

16. (currently amended) The compound or salt of ~~claim 145~~ wherein X' is -(CH₂)₁₋₅-,

$-\text{CH}_2\text{C}(\text{CH}_3)_2-$, or $-\text{CH}_2\text{C}(\text{CH}_3)_2\text{CH}_2-$; or X'' is $-(\text{CH}_2)_{1-5}-$, $-\text{CH}_2\text{C}(\text{CH}_3)_2-$, $-\text{CH}_2\text{C}(\text{CH}_3)_2\text{CH}_2-$, or $-(\text{CH}_2)_3-\text{O}-\text{CH}_2-$.

17. (canceled)

18. (canceled)

19. (canceled)

20. (currently amended) The compound or salt of any one of claims 91 through 14 wherein X'' is $-\text{CH}_2-\text{C}_{6-10}$ alkylene- or $-\text{CH}_2-\text{C}_{1-4}$ alkylene- $\text{O}-\text{C}_{1-4}$ alkylene-.

21. (canceled)

22. (currently amended) The compound or salt of claim 204 wherein X'' is $-(\text{CH}_2)_{1-5}-$, $-\text{CH}_2\text{C}(\text{CH}_3)_2-$, $-\text{CH}_2\text{C}(\text{CH}_3)_2\text{CH}_2-$, or $-(\text{CH}_2)_3-\text{O}-\text{CH}_2-$.

23. (canceled)

24. (canceled)

25. (canceled)

26. (currently amended) The compound or salt of any one of claims 21 through 10, 12, 14 through 19; claims 20 through 22 as dependent on any one of claims 1 through 10, 12, and 14; and claims 23 through 25 as dependent on any one of claims 1 through 10, 12, 14, and 17 wherein R_1'' is hydrogen.

27. (original) The compound or salt of claim 26 wherein R_1' is hydrogen or C_{1-3} alkyl.

28. (original) The compound or salt of claim 27 wherein R_1' and R_1'' are hydrogen.
29. (canceled)
30. (canceled)
31. (currently amended) The compound or salt of claim 230 wherein R_2 is hydrogen, C_{1-4} alkyl, hydroxy C_{1-4} alkylenyl, or C_{1-4} alkyl-O- C_{1-4} alkylenyl.
32. (cancel)
33. (currently amended) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of ~~any one of claims 1 through 32~~ and a pharmaceutically acceptable carrier.
34. (currently amended) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of ~~any one of claims 1 through 32 or a pharmaceutical composition of claim 33~~ to the animal.
35. (currently amended) A method of treating a viral disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of ~~any one of claims 1 through 32 or a pharmaceutical composition of claim 33~~ to the animal.
36. (currently amended) A method of treating a neoplastic disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of ~~any one of claims 1 through 32 or a pharmaceutical composition of claim 33~~ to the animal.
37. (canceled)
38. (canceled)

39. (canceled)

40. (new) The compound or salt of claim 3 wherein X' is -CH₂-C₀₋₁₀ alkylene- or X'' is -CH₂-C₀₋₁₀ alkylene- or -CH₂-C₁₋₄ alkylene-O-C₁₋₄ alkylene-.


41. (new) The compound or salt of claim 3 wherein R₁'' is hydrogen.

42. (new) The compound or salt of claim 41 wherein R₁' is hydrogen or C₁₋₃ alkyl.

43. (new) The compound or salt of claim 42 wherein R₁' and R₁'' are hydrogen.

44. (new) The compound or salt of claim 3 wherein R₂ is hydrogen, C₁₋₄ alkyl, hydroxyC₁₋₄ alkyl, or C₁₋₄ alkyl-O-C₁₋₄ alkyl.

45. (new) The compound or salt of claim 4 wherein R_{1,1} is



46. (new) The compound or salt of claim 4 wherein X' is -CH₂-C₀₋₁₀ alkylene- or X'' is -CH₂-C₀₋₁₀ alkylene- or -CH₂-C₁₋₄ alkylene-O-C₁₋₄ alkylene-.

47. (new) The compound or salt of claim 46 wherein X' is -(CH₂)₁₋₅-, -CH₂C(CH₃)₂-, or -CH₂C(CH₃)₂CH₂-; or X'' is -(CH₂)₁₋₅-, -CH₂C(CH₃)₂-, -CH₂C(CH₃)₂CH₂-, or -(CH₂)₃-O-CH₂-.

48. (new) The compound or salt of claim 4 wherein R₁'' is hydrogen.

49. (new) The compound or salt of claim 48 wherein R₁' is hydrogen or C₁₋₃ alkyl.

50. (new) The compound or salt of claim 49 wherein R₁' and R₁'' are hydrogen.

51. (new) The compound or salt of claim 4 wherein R_2 is hydrogen, C_{1-4} alkyl, hydroxy C_{1-4} alkylenyl, or C_{1-4} alkyl-O- C_{1-4} alkylenyl.

52. (new) The compound or salt of claim 5 wherein n is 0.

53. (new) The compound or salt of claim 5 wherein R_{1-1} is



54. (new) The compound or salt of claim 5 wherein X' is $-\text{CH}_2\text{-C}_{0-10}$ alkylene- or X'' is $-\text{CH}_2\text{-C}_{0-10}$ alkylene- or $-\text{CH}_2\text{-C}_{1-4}$ alkylene-O- C_{1-4} alkylene-.

55. (new) The compound or salt of claim 5 wherein R_1' is hydrogen.

56. (new) The compound or salt of claim 55 wherein R_1' is hydrogen or C_{1-3} alkyl.

57. (new) The compound or salt of claim 56 wherein R_1' and R_1'' are hydrogen.

58. (new) The compound or salt of claim 5 wherein R_2 is hydrogen, C_{1-4} alkyl, hydroxy C_{1-4} alkylenyl, or C_{1-4} alkyl-O- C_{1-4} alkylenyl.

59. (new) The compound or salt of claim 9 wherein R_1'' is hydrogen.

60. (new) The compound or salt of claim 59 wherein R_1' is hydrogen or C_{1-3} alkyl.

61. (new) The compound or salt of claim 60 wherein R_1' and R_1'' are hydrogen.

62. (new) The compound or salt of claim 9 wherein R_2 is hydrogen, C_{1-4} alkyl, hydroxy C_{1-4} alkylenyl, or C_{1-4} alkyl-O- C_{1-4} alkylenyl.

63. (new) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of claim 3 and a pharmaceutically acceptable carrier.

64. (new) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of claim 4 and a pharmaceutically acceptable carrier.

65. (new) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of claim 5 and a pharmaceutically acceptable carrier.

66. (new) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of claim 9 and a pharmaceutically acceptable carrier.

67. (new) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of claim 3 to the animal.

68. (new) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of claim 4 to the animal.

69. (new) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of claim 5 to the animal.

70. (new) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of claim 9 to the animal.